



BELISLASER

Multi Hifu Machine Catalog

Contact us for more catalogs of Hair removal Machines, Cryolipolysis Cavitation RF Fat Reducing Machine, EMSlim Body Sculpting machine, Hydrafacial Skin Tester 2 in 1 machine, Nd yag Laser and Pico Laser machine, HIFU and Vaginal HIFU machine, CO2 Laser Fractional Machine, etc.

BELISLASER

COMPANY PROFILE

>>> About Us

Zhengzhou Belis Electronic Technology Co., Ltd is a globally recognized manufacturer of innovative and advanced medical aesthetic equipment, with a strong presence in Europe, South America, and Latin America. We offer a comprehensive range of cutting-edge devices, including IPL, E-light, Radiofrequency, Cavitation, Nd-YAG lasers, Diode lasers, Fractional CO2 lasers, Lipolaser systems, and skin analyzers. Our mature sales network spans Mexico, Chile, and Spain, supported by a dedicated Customs Agent in Mexico and Cofepris certification for compliance. We collaborate with local engineers to provide exceptional after-sales technical support, ensuring our clients receive reliable and efficient service.



9D 7D Hifu Vaginal Rf Lifting Treatment

Item Number: BL-513



Introduction

9D HIFU system for face & body: skin tightening, fat reduction, vaginal rejuvenation. Non-invasive, customizable treatments. Learn more!

[Learn More](#)

Parameter	Specification
Name	7D HIFU+Vaginal HIFU+Radar Carving Heads
Function	Skin tightening, wrinkle removal, body slimming, vaginal tightening
Voltage	110-240V, 50/60Hz
Treatment Area	Full face, lower face, décolletage, abdomen, arms, thighs, buttocks, vaginal
HIFU Shots	20,000/unit
Gross Weight	18.0kg
Package Size	54*46*46cm
Display	10.4-inch touch screen
Cartridges	7x7D HIFU (1.5mm, 2.0mm, 3.0mm, 4.5mm, 6mm, 9.0mm, 13mm), 2xVaginal HIFU (3.0mm and 4.5mm), 3*Radar Carving Heads
Spot Spacing	5.0mm-25mm
Energy	0.1-3.0J
Warranty	2 Years

Vaginal Tighten Hifu Gynecology Hifu Treatment

Item Number: BL-508



Introduction

Noninvasive Vaginal HIFU for tightening, rejuvenation & enhanced wellness. Safe, pain-free treatments with lasting results. Learn more!

[Learn More](#)

Parameter	Specification
Voltage	AC 100V-240V, 50/60Hz
HIFU Model	Vaginal HIFU
Power	0.1J (weak) to 1.0J (strong) (0.1J/step)
Spacing	1.0 to 3.0mm (0.1mm/step)
Focal Length	5 to 25mm (1.0mm/step)
Rotating Angle	5°-25°
Fuse	FL5X20/3.15A with buffer (Double fuse)
Net Weight	15kg
Size	42x55x80cm



Belislaser

No.38, Mudan Road, High-tech Zone, Zhengzhou, China

